



2015-2016 PRODUCT CATALOGUE

Address: 1901 Baiyun Building 111-113 Baiyun Road Guangzhou China
Tel: 0086-0086-20-83292770/83292401/83292760/83292759
Fax: 0086-020-83292769
E-mail: translink@21cn.com
jason@gztranslink.com
Website: www.gztranslink.com
Post Code: 510100





Index



1-9
10-17
18-30
31-40
41-42
43-62
63-70
71-74
75-87
88-92

Antenna
Blender
Gas Cooker
Iron
Portable Rechargeable Fan
Refrigerator
Rice Cooker
Stabilizer
Water Dispenser
Water Kettle





TRA-7006TG



TRA-100C



TRA-4000TG



TRA-086



TRA-2000TG



TRA-002



TRA-A218-002



TRA-A218-001



TRA-A218-003



TRA-A-001



TRA-328



TRA-A-001



TRA-B-5000



TRA-B-5000



TRA-13



TRA-12



TRA-9



TRA-9000TG



TRA-20



TRA-42E



TRA-891



TRA-FLOWER FAIRY



TRA-868



TRA-968




TRA-008



TRA-806



TRA-43



TRA-938A



TRA-870TG



TRA-7080TG



TRA-9090TG



TRA-8080TG



TRA-9590TG



TRA-998TG



TRA-6000



TRA-860TG




TRA-992




TRA-1000



TRA-800TG



TRA-873TG



TRA-2000



TRA-3000



TRA-893TG



TRA-880TG



TRA-4000



TRA-5000



TRA-883TG



TRA-890TG



TRA-007



TRA-800NG



TRA-950TG



TRA-950TG(White)



TRA-993TG



TRA-950TG



TRA-898TG



TRA-980TG



TRA-001



TRA-331



TRA-332



TRA-070



TRA-518



TRA-2001



TRA-608B



TRA-SYS-001



TRA-818



TRA-1A-2



TRA-1000B



TRA-500A



TRA-700B



TRA-2000B



TRA-400A



TRA-300B



TRB-4005

- Deluxe and Elegant appearance, Attached with glass cups
- LED display with switch, convenient for operation
- Microcomputer controlled working Programs, make it easy to operate
- Make 8 cups of yogurt for each time
- Working under safe, quiet and automatic



TRB-4006

- Deluxe and Elegant appearance, Attached with glass cups
- LED display with switch, convenient for operation
- Microcomputer controlled working Programs, make it easy to operate
- Make 8 cups of yogurt for each time
- Working under safe, quiet and automatic



TRB-001

- Mini grinder for all kinds of dry grinding
- With 50g capacity
- With 150W power motor



TRB-002

- Mini grinder for all kinds of dry grinding
- With 50g capacity
- With 150W power motor



TRB-BL01PA 2in1

- Supper blender with stainless steel/Plastic body
- With 1.5L glass/plastic blending jug
- Knob switch with 2 speeds and "Pulse" function
- Powerful motor, 350w/ 450w are selectable



TRB-BL01PB 2in1

- Supper blender with stainless steel/Plastic body
- With 1.5L glass/plastic blending jug
- Knob switch with 2 speeds and "Pulse" function
- Powerful motor, 350w/ 450w are selectable



TRB-BL03P 2in1

- Multifunctional blender with blending & grinding
- With 1.5L PC blending jug
- Knob switch with 2 speeds and "Pulse" function
- With 300w power motor



TRB-BL05P

- Super blender with blending
- With 2L PC blending jug
- Knob switch with automatic speed control
- Safety operation touching pointing with over heat protecting system
- With 1000-1200w power motor



TRB-3388 2in1

- Unbreakable blender
- Multi-function design for blender, grinding & filtering
- 4 speed selectable with "Pulse" function
- Powerful motor 350w are selectable
- PC jar and cup, with break resistance



TRB-2288 3in1

- 250w & 350w optional
- 1.5L blender jar
- Stainless steel blade
- Blender, grinder, filter, meat grinder optional



TRB-3366A 2in1

- Unbreakable blender
- Multi-function design for blender, grinding & filtering
- 2 speed selectable with "Pulse" function
- Powerful motor 350w/450W are selectable
- PC jar and cup, with break resistance



TRB-3366B 2in1

- Unbreakable blender
- Multi-function design for blender, grinding & filtering
- 4 speed selectable with "Pulse" function
- Powerful motor 350w are selectable
- PC jar and cup, with break resistance



TRB-2255A

- Over-heat protecting system
- Stainless steel blade
- 1.5L blender jar
- Anti-slip rubber feet
- Piano & knob switch optional
- Super blender
- 300s
- Unbreakable PC jar & cup
- 2 speed & pulse
- Safe lock



TRB-2255B

- Over-heat protecting system
- Stainless steel blade
- 1.5L blender jar
- Anti-slip rubber feet
- Piano & knob switch optional
- Super blender
- 300s
- Unbreakable PC jar & cup
- 2 speed & pulse
- Safe lock



TRB-2255C

- Over-heat protecting system
- Stainless steel blade
- 1.5L blender jar
- Anti-slip rubber feet
- Piano & knob switch optional
- Super blender
- 300s
- Unbreakable PC jar & cup
- 2 speed & pulse
- Safe lock



TRB-101 2in1

- Super blender
- 250w
- Knob switch
- 2 speed & pulse
- Safe lock
- Over-heat protecting system
- Stainless steel blade
- 1.0L blender jar
- 110-120v/220-240v



TRB-262

- 250w
- Knob switch
- 2 speed & clean button
- Safe lock
- Over-heat protecting system
- Stainless steel
- 1.0L blender jar
- 110-12-v/220-240v
- Blender, grinder, filter optional



TRB-179 2in1

- Blender
- 300w
- Stainless steel blade
- Safe lock
- Over-heat protecting system
- 2 speed & clean button
- 1.5L blender jar
- 110-120v/220-240v



TRB-180 2in1

- Super blender
- 450w
- Stainless steel blade
- Safe lock
- Over-heat protecting system
- Knob switch
- 1.5L blender jar
- 110-120v/220-240v



TRB-802

- Super blender
- 450W
- Knob switch
- 2 speed & pulse
- Safe lock
- Over-heat protecting system
- Stainless steel blade
- 1.5L glass blender jar
- 110-220V/220-240V



TRB-628A 3in1

- 450W
- LCD noise
- Low noise
- Double safety design
- Over-heat protecting system
- 1.5L glass blender jar
- 110v-120v/220-240v
- Blender, grinder, filter optiona



TRB-628B 3in1

- 450W
- LCD noise
- Low noise
- Double safety design
- Over-heat protecting system
- 1.5L glass blender jar
- 110v-120v/220-240v
- Blender, grinder, filter optiona



TRB-628C 3in1

- 450W
- LCD noise
- Low noise
- Double safety design
- Over-heat protecting system
- 1.5L glass blender jar
- 110v-120v/220-240v
- Blender, grinder, filter optiona



TRB-629

- Super blender
- 450W
- Knob switch
- 2 speed & pulse
- Safe lock
- Over-heat protecting system
- Stainless steel blade
- 1.5L glass blender jar
- 110v-120v/220-240v



TRB-198

- Super blender
- 250w & 300w optional
- Stainless steel blade
- 1.2L glass blender jar
- Over-heat protecting system
- 110v-120v/220-240v



TRB-300

- Super blender
- 350W
- 6-piece stainless blade for ice crushing
- 2 speed & cleaning button
- Safe lock
- Over-heat protecting system
- Stainless steel blade and plastic blade optional
- 1.5L glass blender jar



TRB-268

- Mini ice crusher
- 250W
- For ice crushing
- 2 speed & pulse
- Knob switch
- Over-heat protecting system
- Stainless steel blade
- 800ml glass blender jar
- 110v-120v/220-240v



TRB-728 2in1

- Blender
- 250W
- Over-heat protecting system
- Stainless steel blade
- 1.0L glass blender jar
- 110v-120v/220-240v



TRB-350 2in1

- 250w
- Safe lock
- Stainless steel blade
- 0.75L blender jar
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-350 3in1

- 250w
- Safe lock
- Stainless steel blade
- 0.75L blender jar
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-360 3in1

- 250w
- Safe lock
- Stainless steel blade
- 0.75L blender jar
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-768 4in1

- Super blender
- 300w
- 4 speed s & pulse
- Safe lock
- Over heat protecting system
- Stainless steel blade
- 1.5L blender jar
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-288

- Food processor
- 450w
- Safe lock
- Stainless steel blade
- 1.5L blender jar
- 110v-120v/220-240v



TRB-718A 3in1

- 250w & 300W optional
- Stainless steel blade
- 2,4,8 speeds optional
- 1.5L blender jar
- Glass & plastic jar optional
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-718B 2in1

- 250w & 300W optional
- Stainless steel blade
- 2,4,8 speeds optional
- 1.5L blender jar
- Glass & plastic jar optional
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-998

- Blender
- 300W
- Stainless steel blade
- Knob switch
- 1 speed & pulse
- Safe lock
- Over-heat protecting system
- 1.5L blender jar
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-999

- Blender
- 250w & 300W optional
- Stainless steel blade
- Knob switch
- Safe lock
- Over-heat protecting system
- 1.5L blender jar
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-502

- Juicer
- 450W
- Anti-drop design
- Double safety system
- Over-heat protecting system
- Stainless steel juice filter & blade
- Blender, grinder, filter, meat grinder optional
- 110v-120v/220-240v



TRB-201

- Juicer
- 450W
- Anti-drop design
- Stainless steel spout
- Stainless steel juice filter & blade
- 1.5L glass blender jar
- Juice, blender, grinder optional
- 110v-120v/220-240v



TRB-176 3in1

- 450W
- 2 speed & pulse
- Over heat protecting system
- Stainless steel blade
- 1.2L glass blender jar
- Glass jar and cup
- Juice, blender, grinder optional



TRB-208 3in1

- 450W
- 2 speed & pulse
- Over heat protecting system
- Stainless steel blade
- 1.2L glass blender jar
- Juice,blender, grinder optional



TRB-209

- Juice
- 450W
- Extra-large feed chute for a whole apple
- 2 speed & pulse
- Over heat protecting system
- Stainless steel blade
- Piano & knob switch optional



TRB-505

- Juice
- 450W
- Extra-large feed chute for a whole apple
- 2 speed & pulse
- Over heat protecting system
- Stainless steel blade



TRB-209 7in1

- 10 functions combined for juicing,blending, grinding mincing, filtering,chopping eggs mixing & different slicing
- 2 speed selectabke with "pulse" switch
- Extra-large feed chute for a whole apple
- Stainless steel disc cutter assembly
- Piano & knob switch optional
- Detachable parts,easy for cleaning and storing



TRB-209 10in1

- 10 functions combined for juicing,blending, grinding mincing, filtering,chopping eggs mixing & different slicing
- 2 speed selectabke with "pulse" switch
- Extra-large feed chute for a whole apple
- Stainless steel disc cutter assembly
- Detachable parts,easy for cleaning and storing



TRB-505 7in1

- 10 functions combined for juicing,blending, grinding mincing, filtering,chopping eggs mixing & different slicing
- 2 speed selectabke with "pulse" switch
- Extra-large feed chute for a whole apple
- Stainless steel disc cutter assembly
- Detachable parts,easy for cleaning and storing



TRB-505 10in1

- Supper blender
- 450W
- Knob switch
- 2 speed & pulse
- Safe lock
- Over-heat protecting system
- Stainless steel blade
- 1.5L glass blender jar
- 110-220V/220-240V



TRB-188

- Juice
- 300W
- Safe lock
- 2 speed & pulse
- Over heat protecting system
- Stainless steel blade
- 110-120v/220-240v
- Juicer,blender,grinder,meat grinder,filter optional



TRB-998 5in1

- 300W
- Safe lock
- Knob switch
- 1 speed pulse
- Stainless steel blade
- 1.5L blender jar
- 110-120v/220-240v
- Juicer,blender, grinder,meat grinder,filter optional



TRB-738

- 250W
- Safe lock
- 2 speed & pulse
- Stainless steel blade
- 1.0L blender jar
- 110-120v/220-240v
- Juicer,blender, grinder,meat grinder,filter optional



TRB-178

- 300W
- Safe lock
- 2 speed & clean button
- Over-heat protecting system
- Knob switch
- Stainless steel blade
- 1.5L blender jar
- 110-120v/220-240v
- Juicer,blender,grinder,meat grinder,filter optional



TRB-916A

- Soymilk maker
- Digital display
- 1000w
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.6L stainless steel jar
- Soymilk maker,rice paste maker,blender optional



TRB-916B

- Soymilk maker
- Digital display
- 1000w
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.6L stainless steel jar
- Soymilk maker,rice paste maker,blender optional



TRB-915A

- Soymilk maker
- 750W/1000w
- Low noise
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.5L PC jar
- Soymilk maker,rice paste maker,blender optional



TRB-915B

- Soymilk maker
- 750W/1000w
- Low noise
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.5L PC jar
- Soymilk maker,rice paste maker,blender optional



TRB-908A

- Soymilk maker
- 750W
- Low noise
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.5L PC jar
- Soymilk maker,rice paste maker,blender optional



TRB-908B

- Soymilk maker
- 750W
- Low noise
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.0L PC jar
- Soymilk maker, rice paste maker, blender optional



TRB-908C

- Soymilk maker
- 750W
- Low noise
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.0L PC jar
- Soymilk maker, rice paste maker, blender optional



TRB-913A

- Soymilk maker
- Digital display
- 1000W
- Low noise
- Micro-computer control
- For both dry & soaked bean
- Anti-spill and anti-dry-burning system
- 1.3L PC jar
- Soymilk maker, rice paste maker, blender optional



TRB-BL05

- Hand blender
- 300W
- Steel 4 blade design for normal greens and fruits
- Stainless steel body
- Carry hook on the lid
- 400-570ml BPA-free tritan plastic bottle



TRB-BL05A

- Hand blender
- 300W
- Steel 4 blade design for normal greens and fruits
- Stainless steel body
- Carry hook on the lid
- 400-570ml BPA-free tritan plastic bottle



TRB-BL05B

- Hand blender
- 300W
- Steel 4 blade design for normal greens and fruits
- Stainless steel body
- Carry hook on the lid
- 400-570ml BPA-free tritan plastic bottle



TRB-BL05C

- Hand blender
- 300W
- Steel 4 blade design for normal greens and fruits
- Stainless steel body
- Carry hook on the lid
- 400-570ml BPA-free tritan plastic bottle



TRB-BL08

- Super blender
- 800W
- 1.6L glass jar
- Ice crush function
- 3 speed & pulse
- 110-120v/220-240v



Gas Cooker



TRG-101



TRG-102



TRG-103



TRG-104



TRG-105



TRG-106



TRG-107



TRG-108



TRG-109




TRG-110



TRG-111



TRG-112



TRG-113



TRG-114



TRG-201



TRG-202



TRG-203



TRG-204



TRG-205



TRG-206



TRG-207



TRG-208



TRG-209



TRG-210



TRG-211



TRG-212



TRG-219



TRG-220



TRG-213



TRG-214



TRG-221



TRG-222



TRG-215



TRG-216



TRG-WHG-201



TRG-WHG-202



TRG-217



TRG-218



TRG-WHG-203



TRG-WHG-204



TRG-WHG-205



TRG-WHG-206



TRG-007



TRG-010



TRG-WHG-207



TRG-WHG-208



TRG-015



TRG-006



TRG-WHG-209



TRG-WHG-210



TRG-017



TRG-301



TRG-WHG-211



TRG-WHG-212



TRG-302



TRG-303



TRG-304



TRG-305



TRG-312



TRG-313



TRG-306



TRG-307



TRG-314



TRG-315



TRG-308



TRG-309



TRG-316



TRG-317



TRG-310



TRG-311



TRG-318



TRG-319





TRG-320



TRG-323



TRG-324



TRG-325



TRG-WHG-301



TRG-WHG-302



TRG-401



TRG-402



TRG-WB-108



TRG-WB-208



TRG-608



TRG-601



TRG-602



TRG-602SPI



TRG-805



TRG-1101





TRG-1102



TRG-1103



TRG-1104



TRG-1109J



TRG-WHT-1101



TRG-WHT-1104



TRG-WHT-1104F



TRG-WHT-1105



TRG-10



TRG-20



TRG-001A



TRG-001B



TRG-190



TRG-190A



TRG-180A



TRG-290A

Control Disc,
er Spray
utton,

Control Disc,
Spray
Button,

Control Disc,
Spray
Button,

Control Disc, Spray Button,

Control
er
/y
ic





TRPRF-01-06



TRPRF-02-06



TRPRF-07-04



TRPRF-08-04



TRPRF-03-04



TRPRF-04-04



TRPRF-09-04



TRPRF-10-04



TRPRF-05-04



TRPRF-06-04



TRPRF-11-04



TRPRF-12-04

TRRF-532WCL

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Interior LED Light
- Dual No Frost Cooling System.
- Side By Side Refrigerator
- Refrigerator-Freezer
- Qt/40ft.h.q 24PCS



TRRF-238RW

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Interior Light
- No Frost
- Four Door Refrigerator
- Refrigerator-Freezer
- Qt/40ft.h.q 73PCS



TRRF-355CV4

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Interior Light
- Four Door Refrigerator
- Refrigerator-Freezer
- Qt/40ft.h.q 60PCS



TRRF-48R

- Environment-friendly technology
- Mechanical temperature control
- Separate chiller compartment
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 58PCS



TRRF-71R

- Environment-friendly technology
- Mechanical temperature control
- Separate chiller compartment
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 432PCS



TRRF-91R

- Environment-friendly technology
- Mechanical temperature control
- Separate chiller compartment
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 345PCS



TRRF-123R

- Environment-friendly technology
- Mechanical temperature control
- Separate chiller compartment
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 248PCS



TRRF-95R

- Environment-friendly technology
- Mechanical temperature control
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 274PCS



TRRF-100R

- Environment-friendly technology
- Mechanical temperature control
- Separate chiller compartment
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 264PCS



TRRF-115R

- Environment-friendly technology
- Mechanical temperature control
- Separate chiller compartment
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 236PCS



TRRF-225R(KS)

- Environment-friendly technology
- Separate transparent crisper
- High efficient compressor
- Tempered-glass shelves
- Outside condenser (optional)
- Easy rolling wheels
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 144PCS



TRRF-30F

- Environment-friendly technology
- Mechanical temperature control
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 440PCS



TRRF-75F

- Environment-friendly technology
- Mechanical temperature control
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 274PCS



TRRF-85F

- Environment-friendly technology
- Mechanical temperature control
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 236PCS



TRRF-85FA++

- Environment-friendly technology
- Mechanical temperature control
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 236PCS



TRRF-185F

- Environment-friendly technology
- Easy rolling wheels
- High efficient compressor
- Outside condenser (optional)
- Low noise
- Adjustable leg
- CFC free
- Single Door
Refrigerator-Freezer
- Qt/40ft.h.q 144PCS



TRRF-235F

- Mechanical temperature control
- Outside condenser (optional)
- High efficient compressor
- Easy rolling wheels
- Low noise
- Adjustable leg
- Fast freezing
- CFC free
- Alarm
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 77PCS



TRRF-156FW

- Mechanical temperature control
- High efficient compressor
- Easy rolling wheels
- Low noise
- Adjustable leg
- Fast freezing
- CFC free
- No frost
- Alarm
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 142PCS



TRRF-188FW

- Mechanical temperature control
- High efficient compressor
- Easy rolling wheels
- Low noise
- Adjustable leg
- Fast freezing
- CFC free
- No frost
- Alarm
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 106PCS



TRRF-92L

- Environment-friendly technology
- Mechanical temperature control
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 329PCS



TRRF-105L

- Environment-friendly technology
- Mechanical temperature control
- Interior light
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 274PCS



TRRF-135L

- Environment-friendly technology
- Mechanical temperature control
- Interior light
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 236PCS



TRRF-245L

- Environment-friendly technology
- Separate transparent crisper
- High efficient compressor
- Tempered-glass shelves
- Outside condenser (optional)
- Easy rolling wheels
- Low noise
- Adjustable leg
- CFC free
- Interior light
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 144PCS



TRRF-335L

- Mechanical temperature control
- Separate transparent crisper
- High efficient compressor
- Tempered-glass shelves
- Outside condenser (optional)
- Easy rolling wheels
- Low noise
- Adjustable leg
- CFC free
- Interior light
- Single Door
- Refrigerator-Freezer
- Qt/40ft.h.q 77PCS



TRRF-170R

- Environment-friendly technology
- Mechanical temperature control
- Separate transparent crisper
- Low noise
- Adjustable leg
- CFC free
- Energy saving
- Single Door Refrigerator-Freezer
- Qt/40ft.h.q 176PCS



TRRF-80F

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Interior Light
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 345PCS



TRRF-95F

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Interior Light
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 262PCS



TRRF-108F

- Environment-friendly technology
- Outside condenser (optional)
- Low Noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Deodorizer (optional)
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 210PCS



TRRF-138F

- Environment-friendly technology
- Outside condenser (optional)
- Low Noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Deodorizer (optional)
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 192PCS



TRRF-148F

- Environment-friendly technology
- Outside condenser (optional)
- Low Noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Deodorizer (optional)
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 184PCS



TRRF-175F

- Environment-friendly technology
- Outside condenser (optional)
- Low Noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Interior light
- Deodorizer (optional)
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 147PCS



TRRF-195F

- Environment-friendly technology
- Outside condenser (optional)
- Low Noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Interior light
- Deodorizer (optional)
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 142PCS





TRRF-220F

- Environment-friendly technology
- Outside condenser (optional)
- Low Noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Interior light
- Deodorizer (optional)
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 136PCS



TRRF-225F

- Environment-friendly technology
- Outside condenser (optional)
- Low Noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Interior light
- Deodorizer (optional)
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 101PCS



TRRF-212F

- Environment-friendly technology
- Separate transparent crisper
- High efficient compressor
- Tempered-glass shelves
- Outside condenser (optional)
- Easy rolling wheels
- Low noise
- Adjustable leg
- CFC free
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 144PCS



TRRF-260F

- Environment-friendly technology
- Separate transparent crisper
- High efficient compressor
- Tempered-glass shelves
- Outside condenser (optional)
- Easy rolling wheels
- Low noise
- Adjustable leg
- CFC free
- Interior light
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 106PCS



TRRF-308F

- Environment-friendly technology
- Outside condenser (optional)
- Low noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf (optional: wire shelf)
- Interior light
- Reversible door
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 77PCS



TRRF-400F

- Environment-friendly technology
- Outside condenser (optional)
- Low noise
- Adjustable Front Feet
- Lock (optional)
- Glass shelf
- Interior light
- Reversible door
- Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 73PCS



TRRF-200FW

- Mechanical temperature control
- Low noise
- Lock (optional)
- LED light
- Adjustable leg
- CFC free
- Easy rolling wheels
- High efficient compressor
- No frost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 144PCS



TRRF-152F

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise Refrigerator/Freezer
- Qt/40ft.h.q 192PCS





TRRF-202F

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise Refrigerator/Freezer
- Qt/40ft.h.q 152PCS



TRRF-252F

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise Refrigerator/Freezer
- Qt/40ft.h.q 144PCS



TRRF-352F

- Environment-friendly technology
- Separate transparent crisper
- High efficient compressor
- Tempered-glass shelves
- Outside condenser (optional)
- Easy rolling wheels
- Low noise
- Adjustable leg
- CFC free
- Interior light Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 77PCS



TRRF-452F

- Environment-friendly technology
- Separate transparent crisper
- High efficient compressor
- Tempered-glass shelves
- Outside condenser (optional)
- Easy rolling wheels
- Low noise
- Adjustable leg
- CFC free
- Interior light Defrost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 106PCS



TRRF-152R

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- LED light
- Combi Refrigerator Energy Refrigerator/Freezer
- Qt/40ft.h.q 156PCS



TRRF-160R

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- LED light
- Combi Refrigerator Energy Class A++ Refrigerator/Freezer
- Qt/40ft.h.q 152PCS



TRRF-225R(KD)

- Full Range Temperature Control
- Adjustable Front Feet
- Knock-down Door Gasket
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Energy Saving And Low Noise
- Interior light Defrost
- Combi Refrigerator
- Qt/40ft.h.q 104PCS



TRRF-275R

- Energy Saving And Low Noise
- Outside condenser (optional)
- Full Range Temperature Control
- Clear View Crisper With Lid
- Knock-down Door Gasket
- Adjustable Front Feet
- Recessed handle
- Reversible Door
- Interior light Defrost
- Combi Refrigerator
- Qt/40ft.h.q 106PCS





TRRF-290R

- Energy Saving And Low Noise
- Outside condenser (optional)
- Full Range Temperature Control
- Clear View Crisper With Lid
- Knock-down Door Gasket
- Adjustable Front Feet
- Recessed handle
- Reversible Door
- Interior light
- Defrost
- Combi Refrigerator
- Qt/40ft.h.q 77PCS



TRRF-315R

- Easy rolling wheels And Low Noise
- Mechanical Temperature Control
- Outside condenser (optional)
- Separate transparent crisper
- High efficient compressor
- Temperer-glass shelves
- Adjustable leg
- Interior Light
- CFC free
- Defrost
- Combi Refrigerator
- Qt/40ft.h.q 76PCS



TRRF-215RW

- Outside condenser (optional)
- Full Range Temperature Control
- Adjustable Front Feet
- Clear View Crisper With Lid
- Sturdy slide Out shelves
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Recessed handle
- Reversible Door
- Frost free
- Defrost
- Combi Refrigerator
- Qt/40ft.h.q 109PCS



TRRF-270RW

- Outside condenser (optional)
- Full Range Temperature Control
- Adjustable Front Feet
- Clear View Crisper With Lid
- Sturdy slide Out shelves
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Recessed handle
- Reversible Door
- Frost free
- Frost Free
- Combi Refrigerator
- Qt/40ft.h.q 77PCS



TRRF-295RW

- Outside condenser (optional)
- Full Range Temperature Control
- Adjustable Front Feet
- Clear View Crisper With Lid
- Sturdy slide Out shelves
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Recessed handle
- Reversible Door
- Interior Light
- Frost Free
- Combi Refrigerator
- Qt/40ft.h.q 76PCS



TRRF-320RW

- Outside condenser (optional)
- Full Range Temperature Control
- Adjustable Front Feet
- Clear View Crisper With Lid
- Sturdy slide Out shelves
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Recessed handle
- Reversible Door
- Interior Light
- Frost Free
- Combi Refrigerator
- Qt/40ft.h.q 74PCS



TRRF-320FW

- Mechanical temperature control
- Low noise
- Lock(Optional)
- LED light
- Adjustable leg
- CFC free
- Easy rolling wheels
- High efficient compressor
- No frost



TRRF-258FW

- Mechanical temperature control
- Low noise
- Lock (optional)
- LED light
- Adjustable leg
- CFC free
- Easy rolling wheels
- High efficient compressor
- No frost
- Double Door Refrigerator-Freezer
- Qt/40ft.h.q 96PCS



TRRF-181R

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Interior light
- Combi Refrigerator Energy Class A++
- Refrigerator/Freezer
- Qt/40ft.h.q 146PCS



TRRF-208R

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- Interior light
- Combi Refrigerator Energy Class A++
- Refrigerator/Freezer
- Qt/40ft.h.q 114PCS



TRRF-185R

- Full Range Temperature Control
- Adjustable Front Feet
- Knock-down Door Gasket
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Energy Saving And Low Noise
- Interior light
- Combi Refrigerator Energy Class A++
- Refrigerator/Freezer
- Qt/40ft.h.q 101PCS



TRRF-195R

- Full Range Temperature Control
- Adjustable Front Feet
- Knock-down Door Gasket
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Energy Saving And Low Noise
- Interior light
- Combi Refrigerator Energy Class A++
- Refrigerator/Freezer
- Qt/40ft.h.q 101PCS



TRRF-205R

- Full Range Temperature Control
- Adjustable Front Feet
- Knock-down Door Gasket
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Energy Saving And Low Noise
- Interior light
- Combi Refrigerator Energy Class A++
- Refrigerator/Freezer
- Qt/40ft.h.q 100PCS



TRRF-158R

- Full Range Temperature Control
- Clear View Crisper With Lid
- Sturdy Slide Out Shelves
- Adjustable Front Feet
- Knock-down Door Gasket
- Energy Saving And Low Noise
- LED light
- Combi Refrigerator Energy Class A++
- Refrigerator/Freezer
- Qt/40ft.h.q 156PCS



TRRF-100

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 216PCS



TRRF-155

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 168PCS



TRRF-180(KD)

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 156PCS



TRRF-200

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 138PCS



TRRF-230(BD)

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 135PCS



TRRF-255

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 118PCS



TRRF-280

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 107PCS



TRRF-300(BD)

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 95PCS



TRRF-350

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Over-temperature alarm indicator light
- Qt/40ft.h.q 81PCS



TRRF-420

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Over-temperature alarm indicator light
- Chest Freezer
- Qt/40ft.h.q 72PCS



TRRF-500

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Over-temperature alarm indicator light
- Chest Freezer
- Qt/40ft.h.q 63PCS



TRRF-500a

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Over-temperature alarm indicator light
- Chest Freezer
- Qt/40ft.h.q 63PCS



TRRF-100C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Chest Freezer
- Qt/40ft.h.q 216PCS



TRRF-155C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Chest Freezer
- Qt/40ft.h.q 168PCS



TRRF-200C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Chest Freezer
- Qt/40ft.h.q 138PCS



TRRF-300C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Chest Freezer
- Qt/40ft.h.q 95PCS



TRRF-103C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Chest Freezer
- Qt/40ft.h.q 204PCS



TRRF-153C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Flat-back, interior condenser
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Chest Freezer
- Qt/40ft.h.q 156PCS



TRRF-203C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen
- Chest Freezer
- Qt/40ft.h.q 114PCS



TRRF-253C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 96PCS



TRRF-303C

- CFC free, Environmental protection
- Cyclopentane foam
- Adjustable bottom wheel
- Unique drainage design, ease for cleaning the lining
- Arc-style door structure
- Antibiotic and super-quiet
- Deep frozen Chest Freezer
- Qt/40ft.h.q 81PCS



TRRF-180(VSC)

- Mechanical temperature control with adjustable thermostat
- Quick and deep frozen
- Environment-frindly technology
- Low-e glass doors design Chest Freezer
- Qt/40ft.h.q 124PCS



TRRF-230(VSC)

- Mechanical temperature control with adjustable thermostat
- Quick and deep frozen
- Environment-frindly technology
- Low-e glass doors design Chest Freezer
- Qt/40ft.h.q 101PCS



TRRF-245

- Mechanical temperature control with adjustable thermostat
- Quick and deep frozen
- Environment-frindly technology
- Low-e glass doors design Chest Freezer
- Qt/40ft.h.q 102PCS



TRRF-300(VSC)

- Mechanical temperature control with adjustable thermostat
- Quick and deep frozen
- Environment-frindly technology
- Low-e glass doors design Chest Freezer
- Qt/40ft.h.q 76PCS



TRRF-335

- Mechanical temperature control with adjustable thermostat
- Quick and deep frozen
- Environment-frindly technology
- Low-e glass doors design Chest Freezer
- Qt/40ft.h.q 75PCS



TRRF-258

- Mechanical temperature control with adjustable thermostat
- Quick and deep frozen
- Environment-frindly technology
- Low-e glass doors design Chest Freezer
- Qt/40ft.h.q 77PCS



TRRF-328

- Mechanical temperature control with adjustable thermostat
- Quick and deep frozen
- Environment-frindly technology
- Low-e glass doors design Chest Freezer
- Qt/40ft.h.q 75PCS



TRRF-80

- Universal Feet
- Different color
- Keep temperature for long time
- Can be used in both indoor and outdoor
- With bottle opener Chest Freezer
- Qt/40ft.h.q 435PCS

Rice Cooker

TRRC-20013/KS/K



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X24.5X51.5	1920	3840	4320
1	450	4	52.5X26.5X52.5	1520	3440	3600
1.5	550	4	56.5X29X56.5	1280	2624	3024
1.8	650	4	58.5X30X56.5	1200	2560	2840
2.2	750	4	58.5X30X57.5	1216	2496	2800
2.5	850	4	61.5X31.5X61.5	864	1824	2188
2.8	950	4	65.5X33X70.5	700	1480	1696

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X 24.5X40	2304	4800	5600
1	450	4	52.5X27X43.5	1760	3648	4920
1.5	550	4	56.5X29X47.5	1700	3520	4140
1.8	650	4	58.5X30X47.5	1400	3024	3400
2.2	750	4	58.5X30X48	1280	2620	3200
2.5	850	4	61.5X31.5X49.5	1065	2128	2600
2.8	950	4	65.5X33X53.5	944	2000	2520

TRRC-20019/KS/K



CLASSICAL REGULAR RICE COOKER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.5	500	4	54X27.5X60	1300	2600	3100
1.8	700	4	54X27.5X65.5	1180	2400	2800

TRRC-20016/20018



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.8	650	4	58.5X30X56.5	1200	2560	2840

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.8	650	4	58.5X30X47.5	1400	3024	3400

TRRC-20016KS/K-S/K



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X24.5X51.5	1920	3840	4320
1	450	4	52.5X26.5X52.5	1520	3440	3600
1.5	550	4	56.5X29X56.5	1280	2624	3024
1.8	650	4	58.5X30X56.5	1200	2560	2840
2.2	750	4	58.5X30X57.5	1216	2496	2800
2.5	850	4	61.5X31.5X61.5	864	1824	2188
2.8	950	4	65.5X33X70.5	700	1480	1696

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X 24.5X40	2304	4800	5600
1	450	4	52.5X27X43.5	1760	3648	4920
1.5	550	4	56.5X29X47.5	1700	3520	4140
1.8	650	4	58.5X30X47.5	1400	3024	3400
2.2	750	4	58.5X30X48	1280	2620	3200
2.5	850	4	61.5X31.5X49.5	1065	2128	2600
2.8	950	4	65.5X33X53.5	944	2000	2520

Rice Cooker

TRRC-2007/KS/K



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.5	550	4	56.5X29X56.5	1280	2624	3024
1.8	650	4	58.5X30X56.5	1200	2560	2840
2.2	750	4	58.5X30X59.5	1116	2496	2800

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.5	550	4	56.5X29X46.5	1700	3520	4140
1.8	650	4	58.5X30X47.5	1400	3024	3400
2.2	750	4	58.5X30X48.5	1280	2620	3200

TRRC-20020/SILVE/20019



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.8	650	4	58.5X30X56.5	1200	2560	2840

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.8	650	4	58.5X30X47.5	1400	3024	3400

TRRC-20018/KS/K



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X24.5X51.5	1920	3840	4320
1	450	4	52.5X26.5X52.5	1520	3440	3600
1.5	550	4	56.5X29X56.5	1280	2624	3024
1.8	650	4	58.5X30X56.5	1200	2560	2840
2.2	750	4	58.5X30X57.5	1216	2496	2800
2.5	850	4	61.5X31.5X61.5	864	1824	2188
2.8	950	4	65.5X33X70.5	700	1480	1696

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X 24.5X40	2304	4800	5600
1	450	6	52.5X27X43.5	1760	3648	4920
1.5	550	4	56.5X29X47.5	1700	3520	4140
1.8	650	4	58.5X30X47.5	1400	3024	3400
2.2	750	4	58.5X30X48	1280	2620	3200
2.5	850	4	61.5X31.5X49.5	1065	2128	2600
2.8	950	4	65.5X33X53.5	944	2000	2520

TRRC-2009KS



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X24.5X51.5	1920	3840	4320
1	450	4	52.5X26.5X52.5	1520	3440	3600
1.5	550	4	56.5X29X56.5	1280	2624	3024
1.8	650	4	58.5X30X56.5	1200	2560	2840
2.2	750	4	58.5X30X57.5	1216	2496	2800
2.5	850	4	61.5X31.5X61.5	864	1824	2188
2.8	950	4	65.5X33X70.5	700	1480	1696

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X 24.5X40	2304	4800	5600
1	450	6	52.5X27X43.5	1760	3648	4920
1.5	550	4	56.5X29X47.5	1700	3520	4140
1.8	650	4	58.5X30X47.5	1400	3024	3400
2.2	750	4	58.5X30X48	1280	2620	3200
2.5	850	4	61.5X31.5X49.5	1065	2128	2600
2.8	950	4	65.5X33X53.5	944	2000	2520

TRRC-2009K/KB



TRRC-2009(K)



TRRC-2009K(B)

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
3.6	1250	2	75X39X29.5	670	1400	1600
4.2	1650	2	85X43X31.5	483	966	1104
5.6	1950	1	44X44X32	455	910	1040
7.8/8	2650	1	48X48X32	384	768	888
10	3000	1	53X53X33.5	264	528	704

TRRC-20011K(SA)



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.8	650	4	58.5X30X56.5	1200	2560	2840
2.2	750	4	58.5X30X59.5	1116	2496	2800

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.8	650	4	58.5X30X47.5	1400	3024	3400
2.2	750	4	58.5X30X48.5	1280	2620	3200

TRRC-20017(KS)



REGULAR RICE COOKER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X24.5X51.5	1920	3840	4320
1	450	4	52.5X26.5X52.5	1520	3440	3600
1.5	550	4	56.5X29X56.5	1280	2624	3024
1.8	650	4	58.5X30X56.5	1200	2560	2840
2.2	750	4	58.5X30X57.5	1216	2496	2800
2.5	850	4	61.5X31.5X61.5	864	1824	2188
2.8	950	4	65.5X33X70.5	700	1480	1696

REGULAR RICE COOKER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.6	350	6	72.5X 24.5X40	2304	4800	5600
1	450	6	52.5X27X43.5	1760	3648	4920
1.5	550	4	56.5X29X47.5	1700	3520	4140
1.8	650	4	58.5X30X47.5	1400	3024	3400
2.2	750	4	58.5X30X48	1280	2620	3200
2.5	850	4	61.5X31.5X49.5	1065	2128	2600
2.8	950	4	65.5X33X53.5	944	2000	2520

Rice Cooker

TRRC-50A



TRRC-30A-2

TRRC-40A-2

TRRC-50A-2

TRRC-50A-3E

TRRC-50A-2(S)

DELUXE RICE COOKER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
0.8	350	6	74X25X55	1698	3396	3960
1.2	400	4	55.5X28.5X52.5	1300	2620	3100
1.5	500	4	58.5X30.5X58.5	1180	2600	2820
1.8	700	4	58.5X30.5X58.5	1180	2600	2820
2.2	900	4	59.5X30.64.5	1000	2040	2380
2.8	1100	4	69.5X35X70.5	680	1360	1600

TRRC-2085/2085A/2085S/304D/309S



TRRC-2085

TRRC-2085A

TRRC-2085S

TRRC-304D

TRRC-309S

STRAIGHT TYPE RICE COOLER WITH OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.2	400	4	49.5X27X53.5	1520	3184	3520
1.5	500	4	54.5X27.5X56.5	1280	2560	3024
1.8	700	4	56.5X29X56.5	1280	2560	3024
2.2	900	4	61X31X59.5	864	1824	2188
2.8	1100	4	64.5X33X64.5	744	1580	1984

STRAIGHT TYPE RICE COOLER WITHOUT OUTER STEAMER

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
1.2	400	4	49.5X27X44.5	1824	3184	3520
1.5	500	4	54.5X27.5X47.5	1456	2560	3024
1.8	700	4	56.5X29X47.5	1456	2560	3024
2.2	900	4	61X31X51.5	1140	1824	2188
2.8	1100	4	64.5X33X54.5	944	1800	2400

TRRC-30



TRRC-50-130S

TRRC-50-130S(A)

TRRC-50-130S(B)

CAPACITY (L)	POWER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
3(WITH STEAMER)	1300	4	65.5X33.5X49.5	1152	3024	3240
3(W/O STEAMER)	1300	4	65X33X40	1080	2268	2592

TRRC-208



TRRC-208S

TRRC-208SA

TRRC-208

ITEM NO.	LITER (W)	QTY/CTN (PCS)	OUTER CARTON MEAS (CM)	QTY/20' (PCS)	QTY/40' (PCS)	QTY/40'HQ (PCS)
TRRC-208	4.5	4	60.5X30.5X43.5	1216	2800	3300
TRRC-208S	4.5	4	60.5X30.5X43.5	1216	2800	3300

TRS-SV

- Full metal cabinet
- Slim and wall mount design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional



TRS-SC

- Full metal cabinet
- Slim and wall mount design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional



TRS-CF

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-CVR

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-PVR

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-DVR

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-QVR

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-AVR+

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-X series

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-Z series

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-SVR

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-SUR

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-C series

- Full metal cabinet
- Desktop design
- Built – in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in current detector optional
- Power consumption indicator optional
- Full information display optional
- Overload buzzer alarm optional



TRS-WM series

- Capacity range: 8kVA – 12kVA
- Heavy duty component
- Wall mount design
- Built in "cool mate" technology
- Digital delay countdown system
- Optimized MCU for compressor
- Built in Current detector
- Built in smart cooling system
- Power consumption indicator
- Full information screen
- Overload buzzer alarm



TRS-HMI series

- Colorful LED/VFD display, showing left backup time
- Compact desktop and wall mountable design
- Charging current 10/20A selectable
- AC input range 90-280/170-280V selectable
- Battery selector (between deep cycle battery and car battery)
- USB charging port for charging mobile phone at any time
- External solar controller optional



TRS-HOME series

- Pure sine wave output
- LED information display (LCD display optional)
- MCU modular control
- 365x24 hours backup design
- Up to 20A charging current
- Built in AVR (automatic voltage regulator) function optional
- Heavy duty transformer and circuit
- Suitable for all kinds of loads
- 4ms transfer time, complete support computer
- Full protection design:
- Overload, overheat, battery over charge / discharge, surge, short circuit, (battery reverse connection protection optional)
- Generator compatible optional
- Smart battery size detector optional
- USB charge for mobile phone optional



TRS-SMI

- Powerful hybrid charger: solar charger 20A max + mains charger 5A max
- Built in solar charger with MPPT technology
- Automatic switching between solar charger and mains charger, solar charger priority
- AVR (automatic voltage regulation) function at line mode
- Complete protection functions: over charge, over discharge, overload, overheat, etc.
- 2 x USB port for charging mobile phones
- Optional 12 VDC output port, for DC loads like DC lighting bulbs, DC fans
- Desktop fan, floor standing fan, ceiling fan
- Lighting tube, energy saving lamp
- TV, DVD, DVB receiver



TRS-DV series

- Programmable fixed output voltage 0-300VAC
- Programmable fluctuated output voltage 0-300VAC (10 speed options)
- Voltage jumping mode
- Switching mode
- Auto detector of electrical parameters for tested item
- Digital display of output voltage and output current
- RS-232 optional



TRS-AT-1000

- High efficiency transformer
- Less magnetic leakage, low noise and quiet operation
- Always dual output (110V and 220V)
- Manual selection of input voltage is NO NEED
- Short circuit / low voltage / high voltage protection
- High temperature protection
- CE approval



TRS-PSN series

- Pure sine wave output
- MCU modular control
- 365x24 hours backup design
- Up to 20A charging current
- Built in AVR (automatic voltage regulator) function optional
- Heavy duty transformer and circuit
- Suitable for all kinds of loads
- 4ms transfer time, complete support computer
- Full protection design:
- Overload, overheat, battery over charge / discharge, surge, short circuit, (battery reverse connection protection optional)
- Generator compatible optional
- Smart battery size detector optional
- RS - 232 optional



TRS-IVR series

- Major range: 30kVA-100kVA
- Rated output voltage: 380V (400V-415V)
- Input voltage range: 276V-450V (260V-430V)
- $\pm 3\%$ output precision (± 1 optional)
- Manual bypass
- Voltage & current displayer
- Full protection + buzzer alarm
- Industrial strength components
- Surge / spike: optional replaceable SPD
- RS-232 / RD-485: optional
- Certification: CE



TRS-APS series

- Design for explosion areas
- Major range: 30kVA - 1,000kVA
- $\pm 2\%$ output precision (± 2 to $\pm 15\%$ adjustable)
- Contactless design, no arc discharge
- Excellent overload ability up to 200%
- 3 phase dependent regulation (independent)
- Input range: -40% - +30% (customerized)
- Industrial strength components
- Manual or auto bypass function
- Voltage & current displayer
- Full protection + buzzer alarm
- RS-232 / RS-485: optional
- More than 10 years lifespan



TRS-ARD

- Major range: 10kVA - 3,000kVA
- $\pm 2\%$ output precision (± 2 to $\pm 10\%$ adjustable)
- Contactless design, no arc discharge
- Excellent overload ability up to 200%
- 3 phase dependent regulation (independent)
- Input range: -40% - +30% (customerized)
- Industrial strength components
- Manual or auto bypass function
- Voltage & current displayer
- Full protection + buzzer alarm
- RS-232 / RS-485: optional
- More than 10 years lifespan



Water Dispenser

TRWD-RO-11J

- POU water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/590pcs/HQ



TRWD-RO-37B

- POU water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/590pcs/HQ



TRWD-RO-85B

- POU water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/590pcs/HQ



TRWD-RO-89R

- POU water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/590pcs/HQ



TRWD-RO-102W

- POU water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/590pcs/HQ



TRWD-SLR-11B

- Water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/600pcs/HQ



TRWD-SLR-11C

- Water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/600pcs/HQ



TRWD-SLR-11J

- Water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/600pcs/HQ



TRWD-SLR-13

- Water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/90watt heating power
- Tap water
- 462pcs/600pcs/HQ



TRWD-SLR-18D

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/95watt heating power
- With cabinet/refrigerator
- 462pcs/600pcs/HQ



TRWD-SLR-18

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- 550w function
- 70/95watt heating power
- With cabinet/refrigerator
- 462pcs/600pcs/HQ



TRWD-SLR-20

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 70/95watt heating power
- With cabinet/refrigerator
- 408pcs/756pcs/HQ



TRWD-SLR-22A

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 70/95watt heating power
- With cabinet/refrigerator
- 462pcs/600pcs/HQ



TRWD-SLR-22B

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 70/95watt heating power
- With cabinet/refrigerator
- 462pcs/600pcs/HQ



TRWD-SLR-22C

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 70/95watt heating power
- With cabinet/refrigerator
- 462pcs/600pcs/HQ



TRWD-SLR-22D

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 70/95watt heating power
- With cabinet/refrigerator
- 462pcs/600pcs/HQ



Water Dispenser

TRWD-SLR-82S

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-83

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-84B

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-84S

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-85B

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-85W

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-89B

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-89R

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-89S

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-89W

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/normal/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-99G

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 406/756pcs/HQ



TRWD-SLR-99R

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 406/756pcs/HQ



TRWD-SLR-101B

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-101R

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-101W

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-102B

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



Water Dispenser

TRWD-SLR-102S

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-102W

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 462/600pcs/HQ



TRWD-SLR-130

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-131B

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-131R

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-181

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-202

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 408/756pcs/HQ



TRWD-SLR-812B

- Bottle loading water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/normal/cool
- Bottle loading
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-812S

- Bottle loading water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/normal/cool
- Bottle loading
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-812W

- Bottle loading water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/normal/cool
- Bottle loading
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-912B

- Bottle loading water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/normal/cool
- Bottle loading
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRWD-SLR-912W

- Bottle loading water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/normal/cool
- Bottle loading
- 550w function
- 90/70watt heating power
- 360pcs/HQ



TRRF-113

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 408/756pcs/HQ



TRWD-566

- Vertical water dispenser
- 110-127V-220V/50-60HZ
- Compressor/electric cooling
- Hot/cool
- 550w function
- 90/70watt heating power
- 408/756pcs/HQ



TRWD-STR-02

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Electric cooling
- Hot/cool
- 550w function
- 70watt heating power
- 1640/2232pcs/HQ



TRWD-STR-02B

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Electric cooling
- Hot/cool
- 550w function
- 70watt heating power
- 1640/2232pcs/HQ



Water Dispenser

TRWD-STR-02S

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Electric cooling
- Hot/cool
- 550w function
- 70watt heating power
- 1640/2232pcs/HQ



TRWD-STR-02W

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Electric cooling
- Hot/cool
- 550w function
- 70watt heating power
- 1640/2232pcs/HQ



TRWD-STR-10

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Electric cooling
- Hot/cool
- 550w function
- 70watt heating power
- 1640/2232pcs/HQ



TRWD-STR-12

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Electric cooling
- Hot/cool
- 550w function
- 70watt heating power
- 1640/2232pcs/HQ



TRWD-STR-37B

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-53A

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-54B

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-61D

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-63D

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-64W

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-84B

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-84S

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-85W

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-STR-89W

- Tabletop water dispenser
- 110-127V-220V/50-60HZ
- Compressor cooling
- Hot/cool
- 550w function
- 90watt heating power
- 924pcs/HQ



TRWD-A02

- Water purifier
- Civic tap water
- 3000-5000L
- 15L
- 1344pcs/HQ



TRWD-A04

- Water purifier
- Civic tap water
- 3000-5000L
- 15L
- 1344pcs/HQ



Water Dispenser

TRWD-A05

- Water purifier
- Civic tap water
- 3000-5000L
- 15L
- 1344pcs/HQ



TRWD-A07

- Water purifier
- Civic tap water
- 3000-5000L
- 15L
- 1344pcs/HQ



TRWD-A08

- Water purifier
- Civic tap water
- 3000-5000L
- 15L
- 1344pcs/HQ



TRWD-RO-50A

- Reverse osmosis system
- 220v/50hz
- 24w
- PP-CTO-UDF-RO-T33 5 stage filter
- 190L/day
- Civic tap water
- 1344pcs/HQ



TRWD-RO-50Y

- Reverse osmosis system
- 220v/50hz
- 24w
- PP-CTO-UDF-RO-T33 5 stage filter
- 190L/day
- Civic tap water
- 1344pcs/HQ



TRWD-RO-50D

- Reverse osmosis system
- 220v/50hz
- 24w
- PP-CTO-UDF-RO-T33 5 stage filter
- 190L/day
- Civic tap water
- 1344pcs/HQ



TRWD-RO-50M

- Reverse osmosis system
- 220v/50hz
- 24w
- PP-CTO-UDF-RO-T33 5 stage filter
- 190L/day
- Civic tap water
- 1344pcs/HQ



TRWD-RO-50L

- Reverse osmosis system
- 220v/50hz
- 24w
- PP-CTO-UDF-RO-T33 5 stage filter
- 190L/day
- Civic tap water
- 1344pcs/HQ



TRWK-2018

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2019

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2022

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2026

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2028

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2030

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2032

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Double wall stainless steel body
- Keep warm function
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2036

- Voltage:220-240V/110-127V
- Wattage:1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Auto open lid
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2038

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Auto open lid
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2042

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Auto open lid
- With water gauge
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2048

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body inside and plastic outside
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2052

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2040

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Auto open lid
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2046

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2050

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Auto open lid
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2056

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2058

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Safety lock lid
- Stainless steel body
- Concealed heating element
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2066

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- With window to show different temperature status
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2068

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Automatic lid – opening structure
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2072

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2060

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- For instant noodle
- Stainless steel body
- Knob with light indicator, which indicates the working condition
- Adjustable temperature control
- Keep Warm function
- Automatically turns off when water boils
- Boil dry protection
- With Stainless steel steamed rack
- Transparent glass lid



TRWK-2062

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2070

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2076

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual – lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



Water Kettle

TRWK-2078

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Auto open lid
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2080

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Water kettle: SS heating plate
- Tea pot: warming plate and non-stick coating
- Tea pot: using domestic PTC heater with warm - keeping function
- Indicator light indicates work status of water kettle: it means boiling water when switch on, the tea pot is at warm - keeping status when rocker switch is on



TRWK-2082

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Water kettle: SS heating plate
- And SS body and 360 degree rotational
- Tea pot: warming plate and non-stick coating
- Tea pot: using domestic PTC heater with warm - keeping function
- Indicator light show work status of water kettle: it means boiling water when switch on, the tea pot is at warm - keeping status when rocker switch is on



TRWK-8010

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Immerse-type plastic kettle
- Pull up lid design
- With water window



TRWK-8012

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Concealed heating element
- Light color changing after boiling
- Boil dry protection
- With lid release button
- Cord storage
- Automatically turns off when water boils



TRWK-8016

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Immerse-type plastic kettle
- Pull up lid design
- With water window



TRWK-8016a

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Immerse-type plastic kettle
- Pull up lid design
- With water window



TRWK-8018

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Concealed heating element
- Hinged lock lid
- Boil dry protection
- Cord storage
- Automatically turns off when water boils



TRWK-8020

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Concealed heating element
- Hinged lock lid
- Boil dry protection
- Cord storage
- Automatically turns off when water boils



TRWK-8022

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Concealed heating element
- Hinged lock lid
- Boil dry protection
- Cord storage
- Automatically turns off when water boils



TRWK-8026

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Concealed heating element
- Keep warm function
- Double deck with water maker and tea maker
- Available to warm tea, coffee or milk
- Boil dry protection
- Automatically turns off when water boils
- Stainless steel body



TRWK-8028

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- Concealed heating element
- Keep warm function
- Double deck with water maker and tea maker
- Available to warm tea, coffee or milk
- Boil dry protection
- Automatically turns off when water boils
- Stainless steel body and ceramic pot



TRWK-2000

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Automatic lid - opening structure
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2002

- Voltage: 220-240V/110-127V
- Wattage: 1000W-3000W
- 360 degree rotational stainless steel kettle
- Stainless steel body
- Manual - lid opened
- Automatically turns off when water boils
- With boil-dry protecting function
- On/off switch with light indicator



TRWK-2006

- Voltage: 230V
- Wattage: 800W (680W as optional)
- Capacity: 1.25L (10 to 12 cups)
- Plastic body, transparent water tank
- On/off switch with light indicator
- Non stick coating plate with keep warm function
- Anti drip feature
- Boil dry protection



TRWK-2036

- Voltage: 220-240V
- Wattage: 1300W
- Functions: warming, fondue, braising, boiling, steam cooking, roasting, grilling, deep frying
- Removable, easy to clean pot with anti-adhesive coating
- Pot volume: 5L
- Smooth temperature adjustment: 80 ~ 240°C
- Accessories include: 6 fondue forks, frying basket, steam cooking grate, spoon
- Transparent glass cover
- Carry handles
- Thermostat
- Anti slip feet

