

T
TRANSLINK®
SINCE 1992



SOLAR DC FAN
RECHARGEABLE FAN
2015-2016



TR-12V56B1

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20'GP	1650
40'HQ	3990



TR-12V56B2

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20'GP	1650
40'HQ	3990



TR-12V56C1

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20'GP	1650
40'HQ	3990



TR-12V56C2

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20'GP	1650
40'HQ	3990



TR-12V56E2

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20'GP	1650
40'HQ	3990



TR-12V56E3

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20'GP	1650
40'HQ	3990





TR-12V56K

Power of fan	36W
LED light	10W
Speed	≥320RPM
20"GP	1320
40"HQ	3200

REMOTE CONTROLLABLE



TR-12V56A1

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20"GP	1650
40"HQ	3990



TR-12V56A2

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20"GP	1650
40"HQ	3990



TR-12V56A3

Power of fan	36W
Voltage	12V DC
Speed	≥320RPM
20"GP	1650
40"HQ	3990



CHARGABLE FAN



TVF-1602

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1603

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1604

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1211

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1209

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1605

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1606

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1607

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1212

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1608

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1612

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1217

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1619

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1609

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1613

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1614

- Brushless Motor
- AC & DC Operated
- Rechargeable Battery 6V4.5Ah
- Super Bright LED Night Light
- Charging Indicator
- High/Low speed
- Wall Mounting



TVF-1615

- Brushless Motor
- AC & DC Operated
- Rechargeable Battery 6V4.5Ah
- Super Bright LED Night Light
- Charging Indicator
- High/Low speed
- Wall Mounting



TVF-1616

- Brushless Motor
- AC & DC Operated
- Rechargeable Battery 6V4.5Ah
- Super Bright LED Night Light
- Charging Indicator
- High/Low speed
- Wall Mounting



TVF-1617

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1618

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1434

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1435

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1436

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1437

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1432

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:580X210X440mm
- 2500PCS/40HQ



TVF-1438

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1220

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1610

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1611

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ



TVF-1439

- 16" STAND FAN
- Voltage: 12V.DC
- 3 Speed Control with timer
- CTN: 2PCS/BOX
- MEAS:590X250X450mm
- 2018PCS/40HQ

RECHARGEABLE AIR COOLER FAN



TR-3198A

- Power Consumption: 82W
- Fan Speed: Approx 8.2m/s
- Air Flow: Approx 400m³/hr
- Dimension: 390 x 305 x 680 mm
- Carton Qty: 1 pc
- Carton Size: 435 x 335 x 705 mm



TR-3198

- Power Consumption: 50W
- Fan Speed: Approx 8.2 m/s
- Air Flow: Approx 300 m³/hr
- Dimension: 390 x 305 x 680 mm
- Carton Qty: 1 pc
- Carton Size: 435 x 335 x 705 mm



TR-3199

- Power Consumption: 70W
- Fan Speed: Approx 10.5m/s
- Air Flow: Approx 550m³/hr
- Dimension: 412 x 364 x 897mm
- Carton Qty: 1 pc
- Carton Size: 460 x 396 x 933mm



TR-3199A

- Power Consumption: 180W
- Fan Speed: Approx 12m/s
- Air Flow: Approx 1050m³/hr
- Dimension: 412 x 364 x 897mm
- Carton Qty: 1 pc
- Carton Size: 460 x 396 x 933mm



TR-3218

- Power Consumption: 65W
- Fan Speed: Approx 4.5 m/s
- Air Flow: approx 250 m³/hr
- Dimension: 420 x 262 x 806 mm
- Carton Qty: 1 pc
- Carton Size: 432 x 257 x 814 mm



TR-3218A

- Power Consumption: 100W
- Fan Speed: Approx 5.5 m/s
- Air Flow: approx 300 m³/hr
- Dimension: 420 x 262 x 806 mm
- Carton Qty: 1pc
- Carton Size: 432 x 257 x 814 mm



TR-3228

- Power Consumption: 9W
- Fan Speed: Approx 3 m/s
- Air Flow: approx 20 m³/hr
- Dimension: 130 x 125 x 220 mm
- Carton Qty: 6pcs
- Carton Size: 526 x 360 x 300 mm



TR-3228U

- Power Consumption: 9W
- Fan Speed: Approx 3 m/s
- Air Flow: approx 20 m³/hr
- Dimension: 130 x 125 x 220 mm
- Carton Qty: 6pcs
- Carton Size: 526 x 360 x 300 mm



TR-3229

- Input Voltage: DC7.5V
- Power Consumption: 9W
- Fan Speed: Approx 4.5 m/s
- Dimension: 175 x 150 x 300 mm
- Carton Qty: 3 pcs
- Carton Size: 570 x 226 x 412mm



TR-3239

- Power Consumption: 60W
- Fan Speed: Approx 9m/s
- Air Flow: Approx 450m³/hr
- Dimension: 450 x 315 x 901mm
- Carton Qty: 1 pc
- Carton Size: 500x385x910 mm



TR-3239A

- Power Consumption: 90W
- Fan Speed: Approx 10m/s
- Air Flow: Approx 600m³/hr
- Dimension: 450 x 315 x 901 mm
- Carton Qty: 1 pc
- Carton Size: 500 x 385 x 910 mm



TR-3239AH

- Power Consumption: 90W/2000W
- Fan Speed: Approx 10 m/s
- Air Flow: Approx 600 m³/hr
- Dimension: 450 x 315 x 901 mm
- Carton Qty: 1 pc
- Carton Size: 500 x 385 x 910mm

RECHARGEABLE AIR COOLER FAN



TR-3253

- Power Consumption: 9W
- Fan Speed: Approx 4.5 m/s
- Air Flow: approx 60 m³/hr
- Dimension: 164 X 500 X 362 mm
- Carton Qty: 3 pcs
- Carton Size: 597 X 252 X 423 mm



TR-3253B

- Power Consumption: 9W
- Fan Speed: Approx 4.5 m/s
- Air Flow: approx 60 m³/hr
- Dimension: 164 X 500 X 362 mm
- Carton Qty: 3 pcs
- Carton Size: 597 X 252 X 423 mm



TR-3258

- Power Consumption : 26W
- Fan Speed : Approx 3.5 m/s
- Air Flow : approx 300 m³/hr
- Dimension :140 x 300 x 310 mm
- Carton Qty :2 pcs
- Carton Size: 405x370x405 mm



TR-3259

- Power Consumption :70W
- Fan Speed : Approx 10.5m/s
- Air Flow : Approx 550m³/hr
- Dimension :450 x 360 x 907 mm
- Carton Qty : 1 pc
- Carton Size: 500 x 396 x 958mm



TR-3259A

- Power Consumption :180W
- Fan Speed : Approx 12.5m/s
- Air Flow : Approx 1200m³/hr
- Dimension :450 x 360 x 907 mm
- Carton Qty : 1 pc
- Carton Size: 500 x 396 x 958mm



TR-3259AC

- Power Consumption :180W
- Fan Speed : Approx 12.5m/s
- Air Flow : Approx 1200m³/hr
- Dimension :450 x 360 x 907 mm
- Carton Qty : 1 pc
- Carton Size: 500 x 396 x 958mm



TR-3259C

- Power Consumption :70W
- Fan Speed : Approx 10.5m/s
- Air Flow : Approx 550m³/hr
- Water Evaporative Capacity : 500 ml/hr
- Dimension :450 x 360 x 907 mm
- Carton Qty : 1 pc
- Carton Size: 500 x 396 x 958mm



TR-3260A

- Power Consumption :180W
- Fan Speed: Approx 8.5m/s X 2
- Air Flow: Approx 1500m³/hr x 2
- Dimension: 370 x 450 x 1140 mm
- Carton Qty: 1 pc
- Carton Size: 420 x 555 x 1230 mm



TR-3260AC

- Power Consumption: 180W
- Fan Speed: Approx 8.5m/s x 2
- Air Blower Pattern: Centrifugal Type
- Dimension: 370 x 450 x 1140 mm
- Carton Qty: 1 pc
- Carton Size: 420 x 555 x 1230 mm



DC CEILING FAN



AN-C56G

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS

AN-C56H

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS



AN-C56I

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS



DC CEILING FAN



AN-C56D

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS

AN-C56E

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS



AN-C56F

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS



DC CEILING FAN



AN-C56J

- ✓ Perating Voltage:12V
- ✓ Max Power:38W
- ✓ Working Current:3.3A
- ✓ N.W/GW:3.0/3.5kg
- ✓ PCS/CTN:3
- ✓ CTN MEAS:750X330X230mm
- ✓ 40HQ:3531PCS

AN-C56K

- ✓ Perating Voltage:12V
- ✓ Max Power:38W
- ✓ Working Current:3.3A
- ✓ N.W/GW:3.0/3.5kg
- ✓ PCS/CTN:3
- ✓ CTN MEAS:750X330X230mm
- ✓ 40HQ:3531PCS



AN-C56L

- ✓ Perating Voltage:12V
- ✓ Max Power:38W
- ✓ Working Current:3.3A
- ✓ N.W/GW:3.0/3.5kg
- ✓ PCS/CTN:3
- ✓ CTN MEAS:750X330X230mm
- ✓ 40HQ:3531PCS



DC CEILING FAN

**AN-C56A**

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS

**AN-C56B**

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS

**AN-C56C**

- Perating Voltage:12V
- Max Power:38W
- Working Current:3.3A
- N.W/GW:3.0/3.5kg
- PCS/CTN:3
- CTN MEAS:750X330X230mm
- 40HQ:3531PCS



DC TABLE FAN

AN-TI601

- ✓ 16" STAND FAN
- ✓ Voltage :12V.DC,
- ✓ 3Speed Control with timer.
- ✓ CTN:2PCS/BOX
- ✓ MEAS:435X310X435mm
- ✓ 2280PCS/40HQ



AN-TI201

- ✓ 16" STAND FAN
- ✓ Voltage :12V.DC,
- ✓ 3Speed Control with timer.
- ✓ CTN:1PCS/BOX
- ✓ MEAS:410X250X410mm
- ✓ 1600PCS/40HQ

AN-TI602

- ✓ 16" STAND FAN
- ✓ Voltage :12V.DC,
- ✓ 3Speed Control with timer.
- ✓ CTN:2PCS/BOX
- ✓ MEAS:440X210X440mm
- ✓ 3290PCS/40HQ



DC TABLE FAN



AN-TI604

- ✓ 16" STAND FAN
- ✓ Voltage : 12V.DC,
- ✓ 3Speed Control with timer.
- ✓ CTN:2PCS/BOX
- ✓ MEAS:580X210X440mm
- ✓ 2500PCS/40HQ



AN-TI603

- ✓ 16" STAND FAN
- ✓ Voltage : 12V.DC,
- ✓ 3Speed Control with timer.
- ✓ CTN:2PCS/BOX
- ✓ MEAS:580X210X440mm
- ✓ 2500PCS/40HQ



DC STAND FAN



AN-SI611

- ✎ 16"STAND FAN
- ✎ Voltage :12V.DC,
- ✎ 3Speed Control with timer.
- ✎ CTN:1PCS/BOX
- ✎ MEAS:570X140X430mm
- ✎ 1952PCS/40HQ



AN-SI612

- ✎ 16"STAND FAN
- ✎ Voltage :12V.DC,
- ✎ 3Speed Control with timer.
- ✎ CTN:1PCS/BOX
- ✎ MEAS:570X140X430mm
- ✎ 1952PCS/40HQ

DC STAND FAN



AN-SI618

- ✎ 16" STAND FAN
- ✎ Voltage : 12V.DC,
- ✎ 3Speed Control with timer.
- ✎ CTN: 2PCS/BOX
- ✎ MEAS: 590X250X450mm
- ✎ 2018PCS/40HQ

DC STAND FAN



AN-SI617

- 16" STAND FAN
- Voltage : 12V.DC,
- 3Speed Control with timer.
- CTN: 1PCS/BOX
- MEAS: 570X140X430mm
- 1952PCS/40HQ



AN-SI619

- 16" STAND FAN
- Voltage : 12V.DC,
- 3Speed Control with timer.
- CTN: 2PCS/BOX
- MEAS: 590X250X450mm
- 1952PCS/40HQ

DC STAND FAN



AN-SI6I3

- 16"STAND FAN
- Voltage :12V.DC,
- 3Speed Control with timer.
- CTN:1PCS/BOX
- MEAS:570X140X430mm
- 1952PCS/40HQ



AN-SI6I4

- 16"STAND FAN
- Voltage :12V.DC,
- 3Speed Control with timer.
- CTN:1PCS/BOX
- MEAS:480X190X440mm
- 1700PCS/40HQ

DC STAND FAN



AN-SI615

- 16" STAND FAN
- Voltage : 12V.DC,
- 3Speed Control with timer.
- CTN: 2PCS/BOX
- MEAS: 590X250X450mm
- 2018PCS/40HQ



AN-SI616

- 16" STAND FAN
- Voltage : 12V.DC,
- 3Speed Control with timer.
- CTN: 1PCS/BOX
- MEAS: 570X140X430mm
- 1952PCS/40HQ

TRANSLINK INTERNATIONAL CO.,LTD

Address:1901 Baiyun Building 111-113 Baiyun Road Guangzhou China

Tel:0086-0086-20-83292770/83292401/83292760/83292759

Fax:0086-020-83292769

E-mail:translink@21cn.com

jason@gztranslink.com

Website:www.gztranslink.com

Post Code:510100

